

Package: CorBin (via r-universe)

May 14, 2026

Type Package

Title Generate High-Dimensional Binary Data with Correlation Structures

Version 1.0.0

Author Wei Jiang [aut], Shuang Song [aut, cre], Lin Hou [aut] and Hongyu Zhao [aut]

Maintainer Shuang Song <song-s19@mails.tsinghua.edu.cn>

Description We design algorithms with linear time complexity with respect to the dimension for three commonly studied correlation structures, including exchangeable, decaying-product and K-dependent correlation structures, and extend the algorithms to generate binary data of general non-negative correlation matrices with quadratic time complexity. Jiang, W., Song, S., Hou, L. and Zhao, H. ``A set of efficient methods to generate high-dimensional binary data with specified correlation structures." The American Statistician. See <[doi:10.1080/00031305.2020.1816213](https://doi.org/10.1080/00031305.2020.1816213)> for a detailed presentation of the method.

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

NeedsCompilation no

Repository <https://cranhaven.r-universe.dev>

Date/Publication 2026-05-14 12:02:00 UTC

RemoteUrl <https://github.com/cranhaven/cranhaven.r-universe.dev>

RemoteRef package/CorBin

RemoteSha 7fa3873d7fb7aff2f23aee34ce3ae21809ee2561

RemoteSubdir CorBin

Contents

cBern	2
cBern1dep	3
cBernDCP	4
cBernEx	4
rhoMax1dep	5
rhoMaxDCP	5
rhoMaxEx	6
Index	7

cBern	<i>Main function</i>
-------	----------------------

Description

The main function of our package, through which we can simulate correlated binary data under different settings.

Usage

```
cBern(n, p, rho, type, k = NULL)
```

Arguments

n	number of observations
p	the vector of marginal probabilities with dimension m
rho	For the first three types, rho is either a non-negative value indicating the shared correlation coefficient or and m-1 vector indicating the correlation coefficients between adjacent variables. For the general case, rho should be a list, the i-th element of which specifies the coefficients on the i-th minor diagonal.
type	including 4 types. type="exchange" type="DCP" type="1-dependent" type="General"
k	(for 'General' use only). The number of layers setting for k-dependent structure. k=m-1 for the general case.

Value

an n*p matrix of binary data

References

Jiang, W., Song, S., Hou, L. and Zhao, H. A set of efficient methods to generate high-dimensional binary data with specified correlation structures. *The American Statistician*. DOI:10.1080/00031305.2020.1816213

See Also

[cBernEx](#), [cBernDCP](#), [cBern1dep](#)

Examples

```
X <- cBern(10, rep(0.5,3), 0.5, type="exchange")
X <- cBern(10, rep(0.5,3), c(0.2,0.2), type="DCP")
X <- cBern(5, c(0.4,0.5,0.6), c(0.2,0.3), type="1-dependent")

rho <- list()
rho[[1]] <- c(0.2,0.3)
rho[[2]] <- 0.1
X <- cBern(2, c(0.7,0.8,0.9),rho=rho,type="General", k=2)
```

cBern1dep

Generate binary data with 1-dependent correlated structure

Description

Equivalent to `cBern(n, p, rho, type="1-dependent")`

Usage

```
cBern1dep(n, p, rho)
```

Arguments

n	number of observations
p	the vector of marginal probabilities with dimension m
rho	either a non-negative value indicating the shared correlation coefficient or and m-1 vector indicating the correlation coefficients between adjacent variables.

Value

an n*p matrix of binary data

Examples

```
X <- cBern1dep(5, c(0.4,0.5,0.6), c(0.2,0.3))
```

`cBernDCP`*Generate binary data with decaying-product correlated structure*

Description

Equivalent to `cBern(n, p, rho, type="DCP")`

Usage

```
cBernDCP(n, p, rho)
```

Arguments

<code>n</code>	number of observations
<code>p</code>	the vector of marginal probabilities with dimension <code>m</code>
<code>rho</code>	either a non-negative value indicating the shared correlation coefficient or and <code>m-1</code> vector indicating the correlation coefficients between adjacent variables.

Value

an `n*p` matrix of binary data

Examples

```
X <- cBernDCP(10, rep(0.5,3), c(0.2,0.2))
```

`cBernEx`*Generate binary data with exchangeable correlated structure*

Description

Equivalent to `cBern(n, p, rho, type="exchange")`

Usage

```
cBernEx(n, p, rho)
```

Arguments

<code>n</code>	number of observations
<code>p</code>	the vector of marginal probabilities with dimension <code>m</code>
<code>rho</code>	a non-negative value indicating the shared correlation coefficient

Value

an `n*p` matrix of binary data

Examples

```
X <- cBernEx(10, rep(0.5,3), 0.5)
```

rhoMax1dep	<i>To calculate the maximal allowed correlations max for using cBern1dep to generate binary data with 1-dependent structure</i>
------------	---

Description

To calculate the maximal allowed correlations max for using cBern1dep to generate binary data with 1-dependent structure

Usage

```
rhoMax1dep(p)
```

Arguments

p the vector of marginal probabilities with dimension m

Value

an (m-1)-dimensional vector rho, which is the maximum the correlation between the adjacent variables

rhoMaxDCP	<i>For calculating the maximal allowed correlations max for binary data with decaying-product structure.</i>
-----------	--

Description

For calculating the maximal allowed correlations max for binary data with decaying-product structure.

Usage

```
rhoMaxDCP(p)
```

Arguments

p marginal probabilities

Value

an (m-1)-dimensional vector rho, which is the maximum the correlation between the adjacent variables

rhoMaxEx	<i>For calculating the maximal allowed correlation coefficient for binary data with exchangeable structure.</i>
----------	---

Description

For calculating the maximal allowed correlation coefficient for binary data with exchangeable structure.

Usage

rhoMaxEx(p)

Arguments

p the vector of marginal probabilities with dimension m

Value

the maximal allowed correlation coefficient

Index

cBern, [2](#)
cBern1dep, [3](#), [3](#)
cBernDCP, [3](#), [4](#)
cBernEx, [3](#), [4](#)

rhoMax1dep, [5](#)
rhoMaxDCP, [5](#)
rhoMaxEx, [6](#)