

Package: GoogleImage2Array (via r-universe)

May 16, 2026

Type Package

Title Create Array Data from 2D Image Thumbnails via Google Image Search

Version 0.99.2

Date 2021-09-28

Depends R (>= 4.1.0)

Imports xml2, rvest, EBImage, magrittr

Suggests testthat

Description Images are provided as an array dataset of 2D image thumbnails from Google Image Search <<https://www.google.com/search>>. This array data may be suitable for a training data of machine learning or deep learning as a first trial.

License Artistic-2.0

URL <https://github.com/kumeS/GoogleImage2Array>

RoxygenNote 7.1.2

Encoding UTF-8

NeedsCompilation no

Author Satoshi Kume [aut, cre]

Maintainer Satoshi Kume <satoshi.kume.1984@gmail.com>

Config/pak/sysreqs cmake libfftw3-dev make libicu-dev libjpeg-dev libpng-dev libtiff-dev libuv1-dev libxml2-dev libssl-dev

Repository <https://cranhaven.r-universe.dev>

Date/Publication 2026-05-16 01:02:00 UTC

RemoteUrl <https://github.com/cranhaven/cranhaven.r-universe.dev>

RemoteRef package/GoogleImage2Array

RemoteSha 6dc2c25b2b9cead849704f25c359b3f93a4efce0

RemoteSubdir GoogleImage2Array

Contents

display.array	2
GoogleImage2array	3

Index	5
--------------	----------

display.array	<i>display.array: display 4d array as a tiled image.</i>
---------------	--

Description

This function is to create the R array/tensor from 2D image obtained from Google image search.

Usage

```
display.array(x, Save = FALSE, file_path = NULL)
```

Arguments

x	a list obtained by the GoogleImage2array function.
Save	a logical. Whether to save images locally or not. if TRUE, save locally.
file_path	a character. a directory to save the image file.

Value

image

Author(s)

Satoshi Kume

Examples

```
library(EBImage)

# Simple examples
query <- "persian cat"
CatImg <- GoogleImage2array(query)

#show images
display.array(CatImg)

query <- "Shiba inu"
DogImg <- GoogleImage2array(query)

#show images
display.array(DogImg)
```

GoogleImage2array *GoogleImage2array: create array from image thumbnails.*

Description

This function is to create the R array/tensor from 2D image obtained from Google image search. This function provides an array consisted of 20 images per run.

Usage

```
GoogleImage2array(  
  Query,  
  wh = 64,  
  Col = TRUE,  
  Save = FALSE,  
  file_path = NULL,  
  gl = "us"  
)
```

Arguments

Query	a character vector to search images
wh	a value of pixels in height and width.
Col	a logical. Whether to handle color or gray images. if TRUE, use color mode.
Save	a logical. Whether to save images locally or not. if TRUE, save locally.
file_path	a character. a directory to save the image file.
gl	a character to show a region information. ex. us, ja etc

Value

array

Author(s)

Satoshi Kume

Examples

```
library(EBImage)  
  
# Simple examples  
query <- "persian cat"  
CatImg <- GoogleImage2array(query)  
  
#show info  
str(CatImg)
```

```
query <- "Shiba inu"
DogImg <- GoogleImage2array(query)

#show info
str(DogImg)

#Bind arrays
ImgDat <- EImage::abind(CatImg$array, DogImg$array, along=1)

#show info
str(ImgDat)
```

Index

`display.array`, [2](#)

`GoogleImage2array`, [3](#)