

# Package: mapboxer (via r-universe)

June 1, 2026

**Title** An R Interface to 'Mapbox GL JS'

**Version** 0.4.0

**Date** 2020-10-28

**Maintainer** Stefan Kuethe <crazycapivara@gmail.com>

**Description** Makes 'Mapbox GL JS'

<<https://docs.mapbox.com/mapbox-gl-js/api/>>, an open source JavaScript library that uses WebGL to render interactive maps, available within R via the 'htmlwidgets' package. Visualizations can be used from the R console, in R Markdown documents and in Shiny apps.

**License** MIT + file LICENSE

**Depends** R (>= 2.10)

**Imports** magrittr, htmlwidgets, htmltools, yaml, purrr, geojsonsf, methods

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 6.1.1

**Suggests** knitr, rmarkdown, shiny

**VignetteBuilder** knitr

**URL** <https://github.com/crazycapivara/mapboxer>

**BugReports** <https://github.com/crazycapivara/mapboxer/issues>

**NeedsCompilation** no

**Author** Stefan Kuethe [aut, cre]

**Config/pak/sysreqs** cmake make libuv1-dev

**Repository** <https://cranhaven.r-universe.dev>

**Date/Publication** 2026-06-01 03:02:00 UTC

**RemoteUrl** <https://github.com/cranhaven/cranhaven.r-universe.dev>

**RemoteRef** package/mapboxer

**RemoteSha** 13a2b7e2392789e179884c0d445ae2cfe91f94ac

**RemoteSubdir** mapboxer

## Contents

add_circle_layer . . . . .	2
add_control . . . . .	4
add_draw_control . . . . .	5
add_fill_layer . . . . .	6
add_filter_control . . . . .	7
add_layer . . . . .	8
add_line_layer . . . . .	9
add_marker . . . . .	11
add_mouse_position_control . . . . .	11
add_popups . . . . .	12
add_source . . . . .	13
add_text_control . . . . .	13
add_tooltips . . . . .	14
as_mapbox_source . . . . .	14
basemap_background_style . . . . .	15
basemap_raster_style . . . . .	15
basemaps . . . . .	16
fit_bounds . . . . .	16
mapbox_source . . . . .	17
mapboxer . . . . .	17
mapboxer-shiny . . . . .	18
mapboxer_proxy . . . . .	19
motor_vehicle_collisions_nyc . . . . .	20
set_data . . . . .	21
set_filter . . . . .	22
set_layer_properties . . . . .	22
set_style . . . . .	23
set_view_state . . . . .	23
stamen_raster_tiles . . . . .	24
update_mapboxer . . . . .	24
<b>Index</b>	<b>25</b>

---

add_circle_layer	<i>Add a circle layer to the map</i>
------------------	--------------------------------------

---

### Description

Add a circle layer to the map

**Usage**

```
add_circle_layer(map, source = NULL, filter = NULL,
  circle_blur = NULL, circle_color = NULL, circle_opacity = NULL,
  circle_pitch_alignment = NULL, circle_pitch_scale = NULL,
  circle_radius = NULL, circle_sort_key = NULL,
  circle_stroke_color = NULL, circle_stroke_opacity = NULL,
  circle_stroke_width = NULL, circle_translate = NULL,
  circle_translate_anchor = NULL, visibility = TRUE, popup = NULL,
  id = "circle-layer")
```

**Arguments**

map	A <a href="#">mapboxer</a> object.
source	A Mapbox source. Uses the source from the <a href="#">mapboxer</a> object if no source is supplied.
filter	A filter expression that is applied to the source.
circle_blur	(paint) Amount to blur the circle. 1 blurs the circle such that only the centerpoint is full opacity.
circle_color	(paint) The fill color of the circle.
circle_opacity	(paint) The opacity at which the circle will be drawn.
circle_pitch_alignment	(paint) Orientation of circle when map is pitched. One of "map", "viewport".
circle_pitch_scale	(paint) Controls the scaling behavior of the circle when the map is pitched. One of "map", "viewport".
circle_radius	(paint) The radius of the circle.
circle_sort_key	(layout) Sorts features in ascending order based on this value. Features with a higher sort key will appear above features with a lower sort key.
circle_stroke_color	(paint) The stroke color of the circle.
circle_stroke_opacity	(paint) The opacity of the circle's stroke.
circle_stroke_width	(paint) The width of the circle's stroke. Strokes are placed outside of the circle_radius.
circle_translate	(paint) The geometry's offset. Values are [x, y] where negatives indicate left and up, respectively.
circle_translate_anchor	(paint) Controls the frame of reference for circle_translate. One of "map", "viewport".
visibility	(layout) Whether the layer should be displayed.
popup	A <a href="#">mustache</a> template in which the tags refer to the properties of the layer's data object.
id	The unique id of the layer.

**See Also**

<https://docs.mapbox.com/mapbox-gl-js/style-spec/layers/#circle>

**Examples**

```
map <- as_mapbox_source(motor_vehicle_collisions_nyc) %>%
  mapboxer() %>%
  set_view_state(-73.9165, 40.7114, 11) %>%
  add_circle_layer(
    circle_color = "red",
    circle_radius = 5,
    popup = "{{date}} {{time}}"
  )

if (interactive()) map
```

---

add\_control

*Add a standard control to the map*

---

**Description**

Add a standard control to the map

**Usage**

```
add_control(map, control_name, ..., pos = NULL)
```

```
add_navigation_control(map, ..., pos = NULL)
```

```
add_scale_control(map, ..., pos = NULL)
```

```
add_fullscreen_control(map, pos = NULL)
```

**Arguments**

map	A <a href="#">mapboxer</a> object.
control_name	The (class) name of the control.
...	The options of the control.
pos	The position of the control. One of top-left, top-right, bottom-right or bottom-left.

**See Also**

<https://docs.mapbox.com/mapbox-gl-js/api/markers/> for available options for the used control.

## Examples

```
map <- mapboxer() %>%
  add_navigation_control(
    pos = "top-left",
    showCompass = FALSE
  ) %>%
  add_fullscreen_control() %>%
  add_scale_control(
    unit = "nautical"
  )

if (interactive()) map
```

---

add_draw_control	<i>Add a draw control to the map (experimental)</i>
------------------	---

---

## Description

Add a draw control to the map (experimental)

## Usage

```
add_draw_control(map, ..., pos = NULL, data = NULL)
```

## Arguments

map	A <a href="#">mapboxer</a> object.
...	The options of the control.
pos	The position of the control. One of top-left, top-right, bottom-right or bottom-left.
data	A GeoJSON or sf object.

## See Also

<https://github.com/mapbox/mapbox-gl-draw/blob/main/docs/API.md> for available options for the draw control.

---

add\_fill\_layer      *Add a fill layer to the map*

---

### Description

Add a fill layer to the map

### Usage

```
add_fill_layer(map, source = NULL, filter = NULL,
  fill_antialias = TRUE, fill_color = NULL, fill_opacity = NULL,
  fill_outline_color = NULL, fill_pattern = NULL,
  fill_sort_key = NULL, fill_translate = NULL,
  fill_translate_anchor = NULL, visibility = TRUE, popup = NULL,
  id = "fill-layer")
```

### Arguments

map	A <a href="#">mapboxer</a> object.
source	A Mapbox source. Uses the source from the <a href="#">mapboxer</a> object if no source is supplied.
filter	A filter expression that is applied to the source.
fill_antialias	(paint) Whether or not the fill should be antialiased.
fill_color	(paint) The color of the filled part of this layer. This color can be specified as rgba with an alpha component and the color's opacity will not affect the opacity of the 1px stroke, if it is used.
fill_opacity	(paint) The opacity of the entire fill layer. In contrast to the <code>fill_color</code> , this value will also affect the 1px stroke around the fill, if the stroke is used.
fill_outline_color	(paint) The outline color of the fill. Matches the value of <code>fill_color</code> if unspecified.
fill_pattern	(paint) Name of image in sprite to use for drawing image fills.
fill_sort_key	(layout) Sorts features in ascending order based on this value. Features with a higher sort key will appear above features with a lower sort key.
fill_translate	(paint) The geometry's offset. Values are [x, y] where negatives indicate left and up, respectively.
fill_translate_anchor	(paint) Controls the frame of reference for <code>fill_translate</code> . One of "map", "viewport".
visibility	(layout) Whether the layer should be displayed.
popup	A <a href="#">mustache</a> template in which the tags refer to the properties of the layer's data object.
id	The unique id of the layer.

**See Also**

<https://docs.mapbox.com/mapbox-gl-js/style-spec/layers/#fill>

**Examples**

```
map <- as_mapbox_source(geojsonsf::geo_melbourne) %>%
  mapboxer() %>%
  set_view_state(
    lng = 144.9624,
    lat = -37.8105,
    zoom = 10,
    pitch = 35
  ) %>%
  add_fill_layer(
    fill_color = c("get", "fillColor"),
    fill_opacity = 0.6,
    popup = "Area: {{AREASQKM}} km<sup>2</sup>",
    # AREASQKM > 5
    filter = list(">", c("get", "AREASQKM"), 5)
  )

if (interactive()) map
```

---

add\_filter\_control      *Add a filter control to the map*

---

**Description**

Add a filter control to the map

**Usage**

```
add_filter_control(map, layer_id, filter = NULL, pos = NULL,
  rows = 1, cols = 20)
```

**Arguments**

map	A <a href="#">mapboxer</a> object.
layer_id	The ID of the layer to which the filter is attached.
filter	The initial filter expression.
pos	The position of the control. One of top-left, top-right, bottom-right or bottom-left.
rows	The number of rows of the textarea input.
cols	The number of columns of the textarea input.

---

add_layer	<i>Add a layer to the map</i>
-----------	-------------------------------

---

### Description

Adds any kind of layer to the map. The type of the layer is specified by the `type` property of the layer definition.

### Usage

```
add_layer(map, style, popup = NULL)
```

### Arguments

<code>map</code>	A <a href="#">mapboxer</a> object.
<code>style</code>	A named list that defines the style of the layer. See <a href="https://docs.mapbox.com/mapbox-gl-js/style-spec/layers/">https://docs.mapbox.com/mapbox-gl-js/style-spec/layers/</a> for available style options for the used layer type.
<code>popup</code>	A <a href="#">mustache</a> template in which the tags refer to the properties of the layer's data object.

### See Also

[add\\_popups](#) for an example of a mustache template used to generate the popup text.

### Examples

```
image_src <- mapbox_source(  
  type = "image",  
  url = "https://docs.mapbox.com/mapbox-gl-js/assets/radar.gif",  
  coordinates = list(  
    c(-80.425, 46.437),  
    c(-71.516, 46.437),  
    c(-71.516, 37.936),  
    c(-80.425, 37.936)  
  )  
)  
  
raster_style <- list(  
  id = "overlay",  
  type = "raster",  
  source = image_src,  
  paint = list(  
    "raster-opacity" = 0.85  
  )  
)  
  
map <- mapboxer(  
  style = raster_style,  
  popup = popup,  
  mapboxer::add_layer(image_src, raster_style, popup)
```

```

    center = c(-75.789, 41.874),
    zoom = 5
) %>%
  add_layer(raster_style)

if (interactive()) map

```

---

add_line_layer	<i>Add a line layer to the map</i>
----------------	------------------------------------

---

## Description

Add a line layer to the map

## Usage

```

add_line_layer(map, source = NULL, filter = NULL, line_blur = NULL,
  line_cap = NULL, line_color = NULL, line_dasharray = NULL,
  line_gap_width = NULL, line_gradient = NULL, line_join = NULL,
  line_miter_limit = NULL, line_offset = NULL, line_opacity = NULL,
  line_pattern = NULL, line_round_limit = NULL, line_sort_key = NULL,
  line_translate = NULL, line_translate_anchor = NULL,
  line_width = NULL, visibility = NULL, popup = NULL,
  id = "line-layer")

```

## Arguments

map	A <a href="#">mapboxer</a> object.
source	A Mapbox source. Uses the source from the <a href="#">mapboxer</a> object if no source is supplied.
filter	A filter expression that is applied to the source.
line_blur	(paint) Blur applied to the line, in pixels.
line_cap	(layout) The display of line endings. One of "butt", "round", "square".
line_color	(paint) The color with which the line will be drawn.
line_dasharray	(paint) Specifies the lengths of the alternating dashes and gaps that form the dash pattern.
line_gap_width	(paint) Draws a line casing outside of a line's actual path. The value indicates the width of the inner gap.
line_gradient	(paint) Defines a gradient with which to color a line feature. Can only be used with GeoJSON sources that specify <code>lineMetrics = TRUE</code> .
line_join	(layout) The display of lines when joining. One of "bevel", "round", "miter".
line_miter_limit	(layout) Used to automatically convert miter joins to bevel joins for sharp angles. Requires <code>line_join</code> to be "miter".

line_offset	(paint) The line's offset. For linear features, a positive value offsets the line to the right, relative to the direction of the line, and a negative value to the left. For polygon features, a positive value results in an inset, and a negative value results in an outset.
line_opacity	(paint) The opacity at which the line will be drawn.
line_pattern	(paint) Name of image in sprite to use for drawing image lines.
line_round_limit	(layout) Used to automatically convert round joins to miter joins for shallow angles.
line_sort_key	(layout) Sorts features in ascending order based on this value. Features with a higher sort key will appear above features with a lower sort key.
line_translate	(paint) The geometry's offset. Values are [x, y] where negatives indicate left and up, respectively.
line_translate_anchor	(paint) Controls the frame of reference for line_translate.
line_width	(paint) Stroke thickness.
visibility	(layout) Whether the layer should be displayed.
popup	A <b>mustache</b> template in which the tags refer to the properties of the layer's data object.
id	The unique id of the layer.

### See Also

<https://docs.mapbox.com/mapbox-gl-js/style-spec/layers/#line>

### Examples

```
map <- as_mapbox_source(geojsonsf::geo_melbourne) %>%
  mapboxer(
    center = c(144.9624, -37.8105),
    zoom = 11,
    pitch = 45
  ) %>%
  add_navigation_control() %>%
  add_line_layer(
    line_color = c("get", "strokeColor"),
    line_width = 2,
    popup = "{{SA2_NAME}}"
  )

if (interactive()) map
```

---

add\_marker                      *Add a single marker to the map*

---

### Description

Add a single marker to the map

### Usage

```
add_marker(map, lng, lat, popup = NULL)
```

### Arguments

map	A <a href="#">mapboxer</a> object.
lng	The longitude of the marker.
lat	The latitude of the marker.
popup	The popup text (HTML) that is displayed when you click on the marker.

### Examples

```
lng <- -0.09
lat <- 51.5

map <- mapboxer() %>%
  set_view_state(lng, lat) %>%
  add_marker(lng, lat, popup = "You are here!")

if (interactive()) map
```

---

add\_mouse\_position\_control  
*Add a mouse position control to the map*

---

### Description

Add a mouse position control to the map

### Usage

```
add_mouse_position_control(map, mustache_template = NULL, pos = NULL,
  css_text = NULL)
```

**Arguments**

map	A <a href="#">mapboxer</a> object.
mustache_template	A <a href="#">mustache</a> template that contains the mustache tags lng and lat.
pos	The position of the control. One of top-left, top-right, bottom-right or bottom-left.
css_text	A <code>cssText</code> string that will modify the style of the control element.

**Examples**

```
map <- mapboxer(zoom = 4) %>%
  add_mouse_position_control(
    mustache_template = "<b>Lng:</b>{{lng}}, <b>Lat:</b>{{lat}}",
    pos = "bottom-left"
  )

if (interactive()) map
```

---

add_popups	<i>Add popups to a layer</i>
------------	------------------------------

---

**Description**

Usually you will add the popups in the [add\\_layer](#) function by setting the popup parameter.

**Usage**

```
add_popups(map, layer_id, popup)
```

**Arguments**

map	A <a href="#">mapboxer</a> object.
layer_id	The ID of the layer to which you want to add the popups.
popup	A <a href="#">mustache</a> template in which the tags refer to the properties of the layer's data object.

**Examples**

```
LAYER_ID <- "crashes"

mustache_tpl <- "
  <b>Date:</b> {{date}}</br>
  <b>Time:</b> {{time}}</br>
  <b>Number of persons injured:</b> {{injured}}
"

map <- motor_vehicle_collisions_nyc %>%
```

```

as_mapbox_source() %>%
mapboxer(
  center = c(-73.9165, 40.7114),
  zoom = 9
) %>%
add_circle_layer(
  circle_color = "red",
  circle_blur = 1,
  filter = list(">", "injured", 0),
  id = LAYER_ID
) %>%
add_popups(
  LAYER_ID,
  popup = mustache_tpl
)

if (interactive()) map

```

---

add_source	<i>Add a Mapbox source to the map</i>
------------	---------------------------------------

---

### Description

Add a Mapbox source to the map

### Usage

```
add_source(map, source, id = "mapboxer")
```

### Arguments

map	A <a href="#">mapboxer</a> object.
source	A Mapbox source.
id	The unique id of the data source.

---

add_text_control	<i>Add a text control to the map</i>
------------------	--------------------------------------

---

### Description

Add a text control to the map

### Usage

```
add_text_control(map, text, pos = NULL, css_text = NULL)
```

**Arguments**

map	A <a href="#">mapboxer</a> object.
text	The text (HTML) that is displayed.
pos	The position of the control. One of top-left, top-right, bottom-right or bottom-left.
css_text	A <code>cssText</code> string that will modify the style of the control element.

---

add_tooltips	<i>Add tooltips to a layer</i>
--------------	--------------------------------

---

**Description**

Add tooltips to a layer

**Usage**

```
add_tooltips(map, layer_id, tooltip)
```

**Arguments**

map	A <a href="#">mapboxer</a> object.
layer_id	The ID of the layer to which you want to add the tooltips.
tooltip	A <a href="#">mustache</a> template in which the tags refer to the properties of the layer's data object.

---

as_mapbox_source	<i>Convert a data object to a Mapbox GeoJSON source</i>
------------------	---

---

**Description**

Convert a data object to a Mapbox GeoJSON source

**Usage**

```
as_mapbox_source(data, ...)

## S3 method for class 'json'
as_mapbox_source(data, ...)

## S3 method for class 'data.frame'
as_mapbox_source(data, lng = "lng", lat = "lat",
  ...)

## S3 method for class 'sf'
as_mapbox_source(data, ...)
```

**Arguments**

data	A data frame that contains longitudes and latitudes in separate columns or an sf-object.
...	The properties of the source. See <a href="https://docs.mapbox.com/mapbox-gl-js/style-spec/sources">https://docs.mapbox.com/mapbox-gl-js/style-spec/sources</a> for available options for the given source type.
lng	The name of the column containing the longitudes.
lat	The name of the column containing the latitudes.

---

```
basemap_background_style
      Create a background style
```

---

**Description**

Creates a background style that can be used as basemap.

**Usage**

```
basemap_background_style(color = "#111", opacity = 1)
```

**Arguments**

color	The color of the background.
opacity	The opacity of the background.

---

```
basemap_raster_style  Create a raster style
```

---

**Description**

Creates a raster style that can be used as a basemap.

**Usage**

```
basemap_raster_style(tiles = stamen_raster_tiles("terrain"),
  attribution = NULL)
```

**Arguments**

tiles	A list of tile URLs.
attribution	The attribution text of the tile layer.

---

basemaps	<i>A list of basemap style URLs</i>
----------	-------------------------------------

---

**Description**

A list of basemap style URLs

**Usage**

basemaps

**Format**

An object of class `list` of length 2.

---

fit_bounds	<i>Fit the map to a bounding box</i>
------------	--------------------------------------

---

**Description**

Fit the map to a bounding box

**Usage**

```
fit_bounds(map, bounds, ...)
```

**Arguments**

map	A <a href="#">mapboxer</a> object.
bounds	The bounding box as a vector in [west, south, east, north] order or a <code>bbox</code> object.
...	Optional arguments, see <a href="https://docs.mapbox.com/mapbox-gl-js/api/map/#map#fitbounds">https://docs.mapbox.com/mapbox-gl-js/api/map/#map#fitbounds</a> .

---

mapbox_source	<i>Create a Mapbox source</i>
---------------	-------------------------------

---

**Description**

Create a Mapbox source

**Usage**

```
mapbox_source(type, ...)
```

**Arguments**

type	The type of the source, e. g. geojson.
...	The properties of the source. See <a href="https://docs.mapbox.com/mapbox-gl-js/style-spec/sources">https://docs.mapbox.com/mapbox-gl-js/style-spec/sources</a> for available options for the given source type.

---

mapboxer	<i>Create a mapboxer widget</i>
----------	---------------------------------

---

**Description**

Create a mapboxer widget

**Usage**

```
mapboxer(source = NULL, style = basemaps$Carto$dark_matter, ...,
  width = NULL, height = NULL, element_id = NULL,
  token = Sys.getenv("MAPBOX_API_TOKEN"))
```

**Arguments**

source	A <a href="#">mapbox_source</a> that is added to the map with the ID MAPBOXER.
style	The map's Mapbox style.
...	The properties of the map, see <a href="https://docs.mapbox.com/mapbox-gl-js/api/map/">https://docs.mapbox.com/mapbox-gl-js/api/map/</a> .
width	The width of the widget.
height	The height of the widget.
element_id	The unique ID of the widget.
token	A Mapbox API access token. Only needed if you want to use styles from Mapbox.

**Examples**

```
map <- mapboxer(
  center = c(-73.9165, 40.7114),
  zoom = 10,
  minZoom = 6,
  pitch = 30,
  bearing = 45
)

if (interactive()) map
```

---

mapboxer-shiny

*Shiny bindings for mapboxer*


---

**Description**

Output and render functions for using mapboxer within Shiny applications and interactive Rmd documents.

**Usage**

```
mapboxerOutput(outputId, width = "100%", height = "400px")

renderMapboxer(expr, env = parent.frame(), quoted = FALSE)
```

**Arguments**

outputId	output variable to read from
width, height	Must be a valid CSS unit (like '100%', '400px', 'auto') or a number, which will be coerced to a string and have 'px' appended.
expr	An expression that generates a mapboxer
env	The environment in which to evaluate expr.
quoted	Is expr a quoted expression (with quote())? This is useful if you want to save an expression in a variable.

**Examples**

```
library(shiny)
library(mapboxer)

LAYER_ID <- "mvc"

view <- basicPage(
  h1("mapboxer"),
  sliderInput(
    "slider",
    "Number of persons injured",
```

```

    min = 0,
    max = max(motor_vehicle_collisions_nyc$injured),
    step = 1,
    value = 0
  ),
  checkboxInput("hide", "Hide layer"),
  mapboxerOutput("map"),
  htmlOutput("datetime")
)

server <- function(input, output) {
  output$map <- renderMapboxer({
    as_mapbox_source(motor_vehicle_collisions_nyc) %>%
    mapboxer(
      center = c(-73.9165, 40.7114),
      zoom = 10,
      style = basemap_raster_style(stamen_raster_tiles())
    ) %>%
    add_circle_layer(
      circle_color = "black",
      popup = "Number of persons injured {{injured}}",
      id = LAYER_ID
    ) %>%
    add_mouse_position_control(
      "Lng: {{lng}}<br>Lat: {{lat}}",
      css_text = "text-align: left; width: 180px;"
    ) %>%
    add_navigation_control(pos = "top-left")
  })

  observeEvent(input$slider, {
    mapboxer_proxy("map") %>%
    set_filter(LAYER_ID, list("==", "injured", input$slider)) %>%
    update_mapboxer()
  })

  observeEvent(input$hide, {
    mapboxer_proxy("map") %>%
    set_layout_property(LAYER_ID, "visibility", !input$hide) %>%
    update_mapboxer()
  })

  output$datetime <- renderText({
    props <- input$map_onclick$props
    sprintf("<p>%s %s</p>", props$date, props$time)
  })
}

if (interactive()) shinyApp(view, server)

```

**Description**

Create a [mapboxer](#)-like object that can be used to update a mapboxer object that has already been rendered in a Shiny app.

**Usage**

```
mapboxer_proxy(shiny_id, session = shiny::getDefaultReactiveDomain())
```

**Arguments**

<code>shiny_id</code>	The output ID of the mapboxer object that should be updated.
<code>session</code>	The current Shiny session object. Usually the default value can be used.

**See Also**

[update\\_mapboxer](#)

---

motor\_vehicle\_collisions\_nyc

*Motor Vehicle Collisions in NYC*

---

**Description**

Motor Vehicle Collisions in NYC

**Usage**

```
motor_vehicle_collisions_nyc
```

**Format**

A data frame with 1601 rows and 6 variables, where each row is a Motor Vehicle Collision:

**date** occurrence date of collision

**time** occurrence time of collision

**lng** latitude coordinate for Global Coordinate System, WGS 1984, decimal degrees (EPSG 4326)

**lat** longitude coordinate for Global Coordinate System, WGS 1984, decimal degrees (EPSG 4326)

**injured** number of persons injured

**killed** number of persons killed

**Source**

<https://opendata.cityofnewyork.us/>

---

set_data	<i>Update the data of a Mapbox source</i>
----------	---

---

## Description

Update the data of a Mapbox source

## Usage

```
set_data(map, data, source_id = NULL, ...)
```

```
## S3 method for class 'character'  
set_data(map, data, source_id = NULL, ...)
```

```
## S3 method for class 'json'  
set_data(map, data, source_id = NULL, ...)
```

```
## S3 method for class 'data.frame'  
set_data(map, data, source_id = NULL, lng = "lng",  
         lat = "lat", ...)
```

```
## S3 method for class 'sf'  
set_data(map, data, source_id, ...)
```

## Arguments

map	A <a href="#">mapboxer_proxy</a> object.
data	A GeoJSON object, an url pointing to an external GeoJSON document, a data frame that contains longitudes and latitudes in separate columns or an sf-object.
source_id	The ID of the source whose data should be updated.
...	unused
lng	The name of the column containing the longitudes.
lat	The name of the column containing the latitudes.

## See Also

- [df\\_geojson](#)
- [sf\\_geojson](#)

---

set_filter	<i>Set the filter of a layer</i>
------------	----------------------------------

---

**Description**

Set the filter of a layer

**Usage**

```
set_filter(map, layer_id, filter)
```

**Arguments**

map	A <a href="#">mapboxer</a> object.
layer_id	The ID of the layer whose property should be updated.
filter	A filter expression that is applied to the source.

---

set_layer_properties	<i>Update layer properties</i>
----------------------	--------------------------------

---

**Description**

Update layer properties

**Usage**

```
set_paint_property(map, layer_id, property, value)
set_layout_property(map, layer_id, property, value)
```

**Arguments**

map	A <a href="#">mapboxer</a> object.
layer_id	The ID of the layer whose property should be updated.
property	The name of the property that should be updated.
value	The new value of the property.

**Functions**

- `set_paint_property`: Update a paint property of a layer.
- `set_layout_property`: Update a layout property of a layer.

---

set_style	<i>Set the style of the map</i>
-----------	---------------------------------

---

**Description**

Set the style of the map

**Usage**

```
set_style(map, style)
```

**Arguments**

map	A <a href="#">mapboxer</a> object.
style	The map's Mapbox style.

---

set_view_state	<i>Set the view state of the map</i>
----------------	--------------------------------------

---

**Description**

Set the view state of the map

**Usage**

```
set_view_state(map, lng, lat, zoom = 9, pitch = 0, bearing = 0)
```

**Arguments**

map	A <a href="#">mapboxer</a> object.
lng	The longitude of the geographical center point of the map.
lat	The latitude of the geographical center point of the map.
zoom	The zoom level of the map.
pitch	The pitch (tilt) of the map.
bearing	The bearing (rotation) of the map.

---

stamen\_raster\_tiles    *Get Stamen raster tile URLs*

---

**Description**

Get Stamen raster tile URLs

**Usage**

```
stamen_raster_tiles(theme = c("watercolor"))
```

**Arguments**

theme            The theme of the tiles.

---

update\_mapboxer        *Update a mapboxer proxy object in a Shiny app*

---

**Description**

Update a mapboxer proxy object in a Shiny app

**Usage**

```
update_mapboxer(proxy_obj, ...)
```

**Arguments**

proxy\_obj        A [mapboxer\\_proxy](#) object.  
...              unused

# Index

## \* datasets

- basemaps, [16](#)
- motor\_vehicle\_collisions\_nyc, [20](#)

[add\\_circle\\_layer](#), [2](#)

[add\\_control](#), [4](#)

[add\\_draw\\_control](#), [5](#)

[add\\_fill\\_layer](#), [6](#)

[add\\_filter\\_control](#), [7](#)

[add\\_fullscreen\\_control](#) ([add\\_control](#)), [4](#)

[add\\_layer](#), [8](#), [12](#)

[add\\_line\\_layer](#), [9](#)

[add\\_marker](#), [11](#)

[add\\_mouse\\_position\\_control](#), [11](#)

[add\\_navigation\\_control](#) ([add\\_control](#)), [4](#)

[add\\_popups](#), [8](#), [12](#)

[add\\_scale\\_control](#) ([add\\_control](#)), [4](#)

[add\\_source](#), [13](#)

[add\\_text\\_control](#), [13](#)

[add\\_tooltips](#), [14](#)

[as\\_mapbox\\_source](#), [14](#)

  

[basemap\\_background\\_style](#), [15](#)

[basemap\\_raster\\_style](#), [15](#)

[basemaps](#), [16](#)

  

[df\\_geojson](#), [21](#)

  

[fit\\_bounds](#), [16](#)

  

[mapbox\\_source](#), [17](#), [17](#)

[mapboxer](#), [3–9](#), [11–14](#), [16](#), [17](#), [20](#), [22](#), [23](#)

[mapboxer-shiny](#), [18](#)

[mapboxer\\_proxy](#), [19](#), [21](#), [24](#)

[mapboxerOutput](#) ([mapboxer-shiny](#)), [18](#)

[motor\\_vehicle\\_collisions\\_nyc](#), [20](#)

  

[renderMapboxer](#) ([mapboxer-shiny](#)), [18](#)

  

[set\\_data](#), [21](#)

[set\\_filter](#), [22](#)

[set\\_layer\\_properties](#), [22](#)

[set\\_layout\\_property](#)  
([set\\_layer\\_properties](#)), [22](#)

[set\\_paint\\_property](#)  
([set\\_layer\\_properties](#)), [22](#)

[set\\_style](#), [23](#)

[set\\_view\\_state](#), [23](#)

[sf\\_geojson](#), [21](#)

[stamen\\_raster\\_tiles](#), [24](#)

  

[update\\_mapboxer](#), [20](#), [24](#)