Package: finreportr (via r-universe)

March 6, 2025

Type Package

Title Financial Data from U.S. Securities and Exchange Commission

Version 1.0.4

Date 2022-01-16

Author Seward Lee

Maintainer Seward Lee <sewardlee337@gmail.com>

Description Download and display company financial data from the U.S. Securities and Exchange Commission's EDGAR database. It contains a suite of functions with web scraping and XBRL parsing capabilities that allows users to extract data from EDGAR in an automated and scalable manner. See <https://www.sec.gov/edgar/searchedgar/companysearch.html> for more information.

Depends R (>= 2.10)

Imports xml2, dplyr, httr, rvest, XBRL, curl

License MIT + file LICENSE

LazyData true

URL https://github.com/sewardlee337/finreportr

BugReports https://github.com/sewardlee337/finreportr/issues

RoxygenNote 7.1.0

Suggests knitr, rmarkdown, testthat

VignetteBuilder knitr

NeedsCompilation no

Date/Publication 2022-01-17 07:42:41 UTC

Additional_repositories https://cranhaven.r-universe.dev

Config/pak/sysreqs libicu-dev libxml2-dev libssl-dev

Repository https://cranhaven.r-universe.dev

RemoteUrl https://github.com/cranhaven/cranhaven.r-universe.dev

RemoteRef package/finreportr RemoteSha c5916e052e4615b0b679821924abec2a38b5e953 RemoteSubdir finreportr

Contents

| AnnualReports | 2 |
|-----------------|---|
| CompanyInfo | 3 |
| GetBalanceSheet | 3 |
| GetCashFlow | 4 |
| GetIncome | 4 |
| siccodes | |
| statecodes | 5 |
| | |
| | 6 |

Index

AnnualReports Acquire listing of company annual reports.

Description

Extracts and displays listing of annual reports filed by a company in a data frame.

Usage

```
AnnualReports(symbol, foreign = FALSE)
```

Arguments

| symbol | A character vector specifying the stock symbol of the company of interest. |
|---------|---|
| foreign | A logical vector indicating whether the company is domestic or foreign. foreign = FALSE by default. |

Examples

```
## Not run:
AnnualReports("TSLA")
AnnualReports("BABA", foreign = TRUE)
```

End(Not run)

CompanyInfo

Description

Extracts and displays basic information relating to a given company in a data frame.

Usage

CompanyInfo(symbol)

Arguments

symbol

A character vector specifying the stock symbol of the company of interest.

Examples

```
## Not run:
CompanyInfo("GOOG")
CompanyInfo("TSLA")
```

End(Not run)

GetBalanceSheet Acquire balance sheet.

Description

Extracts and displays balance sheet from the annual report of a given company. This functionality is only available for queries fo balance sheets that belong to domestic companies. Note that all data returned by this function comes from the company's Form 10-K, not Form 10-K/A.

Usage

GetBalanceSheet(symbol, year)

Arguments

| symbol | A character vector specifying the stock symbol of the company of interest. |
|--------|--|
| year | A numeric vector specifying the year during which the annual report was filed. |

Examples

Not run: GetBalanceSheet("FB", 2016)

End(Not run)

GetCashFlow

Description

Extracts and displays statement of cash flow from the annual report of a given company. This functionality is only available for queries of cash flow statements that belong to domestic company. Note that all data returned by this function comes from the company's Form 10-K, not Form 10-K/A.

Usage

GetCashFlow(symbol, year)

Arguments

| symbol | A character vector specifying the stock symbol of the company of interest. |
|--------|--|
| year | A numeric vector specifying the year during which the annual report was filed. |

Examples

Not run: GetCashFlow("FB", 2016)

End(Not run)

GetIncome

Acquire income statement.

Description

Extracts and displays income statement from the annual report of a given company. This functionality is only available for queries of income statements that belong to domestic companies. Note that all data returned by this function comes from the company's 10-K, not 10-K/A.

Usage

```
GetIncome(symbol, year)
```

Arguments

| symbol | A character vector specifying the stock symbol of the company of interest. |
|--------|--|
| year | A numeric vector specifying the year during which the annual report was filed. |

siccodes

Examples

```
## Not run:
GetIncome("FB", 2016)
```

End(Not run)

siccodes

Standard Industrial Classification Code List

Description

A dataset containing SIC codes and industries that they represent

Usage

siccodes

Format

A data frame with 444 rows and 2 variables:

- SIC: Standard Industrial Classification Code
- industry: Industry Title

Source

https://www.sec.gov/info/edgar/siccodes.htm

statecodes

EDGAR State and Country Codes

Description

A dataset containing state and country codes used in the SEC EDGAR database.

Usage

statecodes

Format

A data frame with 310 rows and 2 variables:

- state: State or Country Code
- state.name: State or Country Name

Source

https://www.sec.gov/edgar/searchedgar/edgarstatecodes.htm

Index

* datasets
 siccodes, 5
 statecodes, 5

AnnualReports, 2

CompanyInfo, 3

GetBalanceSheet, 3 GetCashFlow, 4 GetIncome, 4

siccodes, 5 statecodes, 5